

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 12/6/2017 Revision date: 3/2/2020 Supersedes: 3/2/2020 Version: 3.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Foam & Gun Cleaner (500ml)

Product code : 2075

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category

: Cleaning solutions Function or use category

1.2.2. Uses advised against

Restrictions on use : All users not mentioned in this chapter or in chapter 7.3

#### 1.3. Details of the supplier of the safety data sheet

ProPart International

Molenakker 3

5953 TW Reuver - Nederland T +31 (0) 77 476 2204

info@propart-international.com - www.propart-international.com

#### 1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222:H229 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : acetone; propan-2-one; propanone Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P280 - Wear protective clothing, eye protection, face protection, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

P271 - Use only outdoors or in a well-ventilated area.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

**FUH-statements** : EUH066 - Repeated exposure may cause skin dryness or cracking.

UFI : Q5R5-T0NQ-900V-85N1

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

Other hazards not contributing to the classification : The product does not meet the PBT and vPvB classification criteria.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetone; propan-2-one; propanone	(CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8 (REACH-no) 01-2119471330-49	60 - 100	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
dimethyl ether	(CAS-No.) 115-10-6 (EC-No.) 204-065-8 (EC Index-No.) 603-019-00-8 (REACH-no) 01-2119472128-37	20 - 40	Flam. Gas 1, H220 Press. Gas

Comments : To obtain more information on the hazards of the substances consult sections 11, 12 and

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

Description	

First-aid measures general : When in doubt or if symptoms are observed, get medical advice. If possible show him this sheet. Failing this, show him the packaging or label.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Give oxygen or artificial respiration if necessary. Call a physician

immediately.

First-aid measures after skin contact : Remove contaminated clothing and shoes. Wash immediately with plenty of soap and water. or shower. Use cold water. Rinse with plenty of water. Do not remove clothing (since

it may stick to the skin). Consult a physician after significant exposure. Contact with the product may cause cold burns or frostbite. When blistering on the skin, do not puncture it,

this increases the risk of infection.

First-aid measures after eye contact : Flush with lukewarm water for 15 minutes. Rinse immediately and thoroughly, pulling the

eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Do not allow the affected person to rub their eyes or close their eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If possible show this sheet, if not available show packaging or label.

First-aid measures after ingestion : If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : See Heading 2. Refer to section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No additional data.

### SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Decomposes on exposure to temperature rise: release of (highly) toxic gases/vapours.

Thermal decomposition generates toxic vapours. Decomposition products may be a hazard

to health.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Description of necessary first aid measures. an extinguishing blanket. A first aid kit with appropriate

content must be available.

Other information : Act in accordance with local emergency plan. Comply with applicable regulations. Remove all sources of ignition. On heating, there is a risk of bursting due to internal pressure build-

up. Cool down the containers exposed to heat with a water spray. Contain the

extinguishing fluids by bunding.

3/2/2020 (Version: 3.1) EN (English) 2/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Isolate from fire, if possible, without unnecessary risk. Evacuate area. Keep public away. Use protective clothing. Do not touch or walk on the spilled product. Wear personal protective clothing (see chapter 8). Mechanically ventilate the spillage area, whilst avoiding the formation of explosive concentrations. Take up liquid spill into inert absorbent material. Remove ignition sources. Use special care to avoid static electric charges. Proper grounding procedures to avoid static electricity should be followed.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Classification concerning the environment: not applicable. Do not contaminate ground and surface water. Do not discharge the waste into the drain.

#### 6.3. Methods and material for containment and cleaning up

For containment

: Absorb remaining liquid with sand or inert absorbent and remove to safe place.

Methods for cleaning up

: Absorb remaining liquid with sand or inert absorbent and remove to safe place. Do not absorb with saw-dust or any other combustible absorbent material. For further information refer to section 13

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: Disposal considerations" ".

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Emergency management guidelines for the storage of flammable liquids must be followed. Keep container closed when not in use. Dispose of empty containers and wastes safely. - Disposal considerations. See Heading 6. Handle in accordance with good industrial hygiene and safety procedures. Contain and dispose of waste according to local regulations. Without adequate ventilation formation of explosive mixtures may be possible. Vapours may cause fire/explosion if source of ignition is present. Take action to prevent static discharges. Ensure no splashing occurs during transfer. Avoid splashing. Try to reduce evaporation. For further information, refer to section 10: "Stability and Reactivity". Highly recommended. inert absorbent material. Within reach when using this product. (see section 6.3).

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep cool. Store under dry conditions. Store in a well-ventilated place. Keep away from food, drink and animal feeding stuffs. Heat sources. Keep away from ignition sources (including static discharges). See other contributing scenario. 10.5. Possibility of hazardous reactions.

### 7.3. Specific end use(s)

No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

### **SECTION 8: Exposure controls/personal protection**

acetone; propan-2-one; propanone (67-64-1)

### 8.1. Control parameters

EU - Occupational Exposure Limits		
Local name	Acetone	
IOELV TWA (mg/m³)	1210 mg/m³	
IOELV TWA (ppm)	500 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Netherlands - Occupational Exposure Limits		
Local name Aceton		
Regulatory reference	Arbeidsomstandighedenregeling 2018	

### dimethyl ether (115-10-6)

#### FIL - Occupational Exposure Limits

EU - Occupational Exposure Limits	
Local name	Dimethylether
IOELV TWA (mg/m³)	1920 mg/m³

3/2/2020 (Version: 3.1) EN (English) 3/10

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

limethyl ether (115-10-6)	
IOELV TWA (ppm)	1000 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Netherlands - Occupational Exposure Limits	
Local name	Dimethylether
Regulatory reference	Arbeidsomstandighedenregeling 2018
acetone; propan-2-one; propanone (67-6-	4-1)
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	2420 mg/m³
Long-term - systemic effects, dermal	186 mg/kg bw/day
Long-term - systemic effects, inhalation	1210 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	62 mg/kg bw/day
Long-term - systemic effects, inhalation	200 mg/m³
Long-term - systemic effects, dermal	62 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	10.6 mg/l
PNEC aqua (marine water)	1.06 mg/l
PNEC aqua (intermittent, freshwater)	21 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	30.4 mg/kg dwt
PNEC sediment (marine water)	3.04 mg/kg dwt
PNEC (Soil)	
PNEC soil	29.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
dimethyl ether (115-10-6)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	1894 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	471 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.155 mg/l
PNEC aqua (marine water)	0.016 mg/l
PNEC aqua (intermittent, freshwater)	1.549 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.681 mg/kg
PNEC sediment (marine water)	0.069 mg/kg
PNEC (Soil)	
PNEC soil	0.045 mg/kg
PNEC (STP)	
PNEC sewage treatment plant	160 mg/l

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. 7.1. Precautions for safe handling. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Consult an expert.

#### Materials for protective clothing:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Replace before any evidence of deterioration. For

periods of prolonged exposure to the product for

professional/industrial users CE III is

recommended, in accordance with the regulations

in EN ISO 20345:2012 y EN 13832-1:200

Condition	Material	Standard
	Wear suitable protective clothing	EN 464, EN ISO 6530, EN ISO 6529,
	Anti-slip work shoes	EN ISO 20347

#### Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Penetration time of glove material: The average penetration time of the various materials when used with this product is unknown. Time of penetration is to be checked with the glove producer

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves					EN 420, EN ISO 374-

#### Eye protection:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure

	-		-
Туре	Use	Characteristics	Standard
Wear tight fitting safety glasses or facial screen, Wear security glasses which protect from splashes		Clean after each use, If there is a risk of liquid being splashed or of vapour being released, Wear tight fitting safety glasses or facial screen	EN 166,

### Respiratory protection:

Air-fed respiratory protective equipment should be worn when this product is sprayed if the exposure of the sprayer or other people nearby cannot be controlled to below the occupational exposure limit. Wear breathing apparatus if exposed to vapours/dusts/aerosols

### Personal protective equipment symbol(s):





#### **Environmental exposure controls:**

Avoid release to the environment. Additional information. 7.1. Precautions for safe handling.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Not available. Physical state at 20 °C: Aerosol.

Colour : No data available. Odour : Not available. Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available **Boiling point** : -25 °C (Propellant spray) Flash point : -41 °C Propellant spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Auto-ignition temperature	: 240 °C Propellant spray
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Vapour pressure at 50 °C	: < 3000 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 740 kg/m³ at 20 °C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : 100 % (supply)

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. None under recommended storage and handling conditions (see section 7).

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Applicable for handling and storage: at room temperatur. . Store away from direct sunlight or other heat sources. Heating will cause a rise in pressure with a risk of bursting.

### 10.5. Incompatible materials

Acids. Oxidizing agent. Alkalines. Strong bases.

### 10.6. Hazardous decomposition products

Organic Substances. Depending on the decomposition conditions,

complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds. See 10.3. 10.4. 10.5. Possibility of hazardous reactions.

### **SECTION 11: Toxicological information**

	Committee of the committee of	A CONTRACTOR OF STREET	
11.1. In	formation on	toxicolo	gical effects

Acute toxicity (oral)

2. Not classified (Based on available data, the classification criteria are not met)

3. Acute toxicity (dermal)

4. Acute toxicity (inhalation)

5. Not classified (Based on available data, the classification criteria are not met)

6. Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Foam & Gun Cleaner (500ml)	
LD50 oral	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 20 mg/l/4h

acetone; propan-2-one; propanone (67-64-1)	
LD50 oral rat 5800 mg/kg	
LD50 dermal rabbit	7426 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h) 76 mg/l/4h	

methyl ether (115-10-6)	
LD50 oral	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	308.5 mg/l/4h

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3 Serious eye damage/irritation : Severely irritating to the eyes

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

STOT-single exposure : May cause drowsiness or dizziness. (Based on available data, the classification criteria are

not met)

Additional information : For more information, see chapter 3

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Additional information : For more information, see chapter 3

Potential adverse human health effects and

symptoms

: The experimental information related to the toxicological properties of the product itself is not available. CONTAINS. glycol. Do not inhale vapour. Human health hazard.

Other information : In the event that dust and/or fine particles are generated with this product, it is prudent to minimize prolonged inhalation exposure to these forms not to exceed the occupational

exposure limit. Health hazard.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The experimental information related to the eco-toxicological properties of the product itself

is not available.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

cetone; propan-2-one; propanone (67-64-1)	
LC50 fish 1	5540 mg/l (96h)
EC50 Daphnia 1	23.5 mg/l
EC50 other aquatic organisms 1	3400 mg/l

### 12.2. Persistence and degradability

#### acetone; propan-2-one; propanone (67-64-1)

Biodegradation 96 % 28 days/100 mg/L BOD5/COD0.96

### 12.3. Bioaccumulative potential

### acetone: propan-2-one: propanone (67-64-1)

accione, propan 2 ene, propanene (e. e)		
	BCF fish 1	1
	Log Pow	-0.24

## 12.4. Mobility in soil

### acetone; propan-2-one; propanone (67-64-1)

Surface tension	2.304 N/m E-2 (25°C) Henry 2,93Pa.m³/mol
Log Koc	1

## dimethyl ether (115-10-6)

Surface tension 1.136 N/m E-2 (25°C)

### 12.5. Results of PBT and vPvB assessment

#### No additional information available

### 12.6. Other adverse effects

Other adverse effects : No additional information available.

3/2/2020 (Version: 3.1) 7/10 EN (English)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Additional information

European List of Waste (LoW) code

**HP Code** 

- : Waste Regulation.
- : 16 05 04\* gases in pressure containers (including halons) containing dangerous substances
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq 75$  °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
UN 1950	UN 1950	UN 1950	Not regulated	UN 1950	
14.2. UN proper shipping name					
AEROSOLS	AEROSOLS	Aerosols, flammable	Not regulated	AEROSOLS	
Transport document descr	Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	Not regulated	UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard class(es)					
2.1	2.1	2.1	Not regulated	2.1	
2			Not regulated	*	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not regulated	Not applicable	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Not regulated	Dangerous for the environment : No	
No supplementary information available					

## 14.6. Special precautions for user

### Overland transport

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : 1 L
EmS-No. (Fire) : F-D

3/2/2020 (Version: 3.1) EN (English) 8/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

Air transport

No data available

Inland waterway transport

Not regulated

Rail transport

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L
Transport category (RID) : 2

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 100 % (supply)

#### 15.1.2. National regulations

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

: None of the components are listed  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Ontwikkeling

: None of the components are listed

### 15.2. Chemical safety assessment

No additional information available

#### SECTION 16: Other information

	ezonen 10. Galer illerination		
Full text of H- and EUH-statements:			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1	Flammable gases, Category 1		
Flam. Liq. 2	Flammable liquids, Category 2		
Press. Gas	Gases under pressure		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
EUH066	Repeated exposure may cause skin dryness or cracking.		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.