

EASY FLUID CONCENTRATE

Page: 1

Compilation date: 26-10-2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EASY FLUID CONCENTRATE

Product code: 2515

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Surfactant.

1.3. Details of the supplier of the safety data sheet

Company name: ProPart International B.V.

Molenakker 3

Reuver 5953 TW

The Netherlands

Tel: +31 (0) 77 476 2368 **Fax:** +31 (0) 77 476 2424

Email: info@propart-international.com

1.4. Emergency telephone number

Emergency tel: +31 (0) 77 476 2368 (08.30-17.00)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315; Aquatic Chronic 3: H412

Most important adverse effects: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long

lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P273: Avoid release to the environment.

EASY FLUID CONCENTRATE

Page: 2

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/.

P302+352: IF ON SKIN: Wash with plenty of water/.

P332+313: If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
270-115-0	68411-30-3	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412	17.500%

POLY(OXY-1,2-ETHANEDIYL),A-SULFO-W-HYDROXY-, C12-14-ALKYL ETHERS, SODIUM SALTS

500-234-8	68891-38-3	-	Eye Dam. 1: H318; Skin Irrit. 2: H315;	6.250%	l
			Aquatic Chronic 3: H412		l

POLY(OXY-1,2-ETHANEDIYL),A-ISOTRIDECYL-W-HYDROXY-

221-284-4	9043-30-5	_	Eye Dam. 1: H318; Acute Tox. 4: H302	6 250%
2212011	00 10 00 0		Lyo Dam. 1. 110 10, 710010 10X. 1. 11002	0.20070

AMIDES, C8-18 AND C18-UNSATD., N,N-BIS(HYDROXYETHYL)

268-935-9	68155-07-7	-	Eye Dam. 1: H318; Aquatic Chronic 2:	1.250%
			H411; Skin Irrit. 2: H315	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Call a doctor immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Provide

fresh air. In case of complaints consult doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

EASY FLUID CONCENTRATE

Page: 3

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers. Carbon dioxide. Dry chemical powder. Water spray. Fight larger fires

with water spray or foam, which is resistant to alcohol. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of sulphur oxides. In combustion emits toxic fumes of nitrogen oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes. Collect extinguishingwater to prevent it from draining into the sewer

system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Avoid

contact with eyes. Avoid contact with skin. Spills on hard surface can present a serious

slipping / falling hazard.

6.2. Environmental precautions

Environmental precautions: Dilute with plenty of water. Do not discharge into drains or rivers. Contain the spillage

using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

EASY FLUID CONCENTRATE

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Protect from freezing.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Remove contaminated clothing

immediately. Keep away from foodstuffs, beverages and feed. Wash hands before

breaks and at end of work.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory

protection is not necessary if good ventilation.

Hand protection: Nitrile gloves. Butyl gloves. The glove material has to be impermeable and resistant to

the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of a suitable gloves does not only depend on the material, but also upon the quality and varies from manufacturer to manufacturer. As the product is a preparation of

several substances, the resistance of the glove material can not be calculated in

advance and has therefore to be checked prior to use. The exact break trough time has

to be found out by the glove manufacturer; observed.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing. Resistant to chemicals.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Dark yellow

Odour: Characteristic odour

Evaporation rate: No data available.

EASY FLUID CONCENTRATE

Page: 5

Solubility in water: Miscible

Boiling point/range°C: 100 Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No autoignition

Vapour pressure: 23 hPa (20°C) Relative density: No data available.

pH: Approx. 7

9.2. Other information

Other information: Density: 1,03 g/cm3 (20°C).

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

Materials to avoid: Oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of sulphur oxides. In combustion emits toxic fumes of nitrogen oxides.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

EASY FLUID CONCENTRATE

Page: 6

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
CAS 68411-30-3	-	-	-
Daphnia magna	48H EC50	1-10	mg/l
Scenedesmus Subspicatus	72H EC50	10-100	mg/l
Cyprinus carpio	96H LC50	1-10	mg/l
BLUEGILL (Lepomis macrochirus)	NOEC	>0,1-1	mg/l
CAS 68891-38-3	-	-	-
Daphnia magna	48H EC50	7,2	mg/l
ALGAE	96H EC50	7,5	mg/l
FISH	96H LC50	7,1	mg/l
Daphnia magna	NOEC	0,27	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Water hazard class (NL) 7: Toxic to aquatic organisms in the water. Water hazard class

(NL) 10: May cause long-term adverse effects in the aquatic environment.

Saneringsinspanning: A.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company. Must not be disposed together with household garbage or into the sewage

system.

Disposal of packaging: Uncleaned packagings: recommendation: Disposal according to official regulations.

Empty container completely. Cleaned deliver for reconditioning or reprocessing.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

EASY FLUID CONCENTRATE

Page: 7

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No. 1907/2006.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.