

WINDSCREEN REPAIR RESIN

Page: 1

Compilation date: 18-06-2015

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: WINDSCREEN REPAIR RESIN

Product code: 3350

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: ProPart International B.V.

Molenakker 3

Reuver 5953 TW

The Netherlands

Tel: +31 (0) 77 476 2368

Fax: +31 (0) 77 476 2424

Email: info@propart-international.com

### 1.4. Emergency telephone number

Emergency tel: +31 (0) 77 476 2368 (08.30-17.00)

## **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: -: EUH210

Most important adverse effects: Safety data sheet available on request.

### 2.2. Label elements

Label elements:

Hazard statements: EUH210: Safety data sheet available on request.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

### WINDSCREEN REPAIR RESIN

Page: 2

#### 2-HYDROXY-2-METHYLPROPIOPHENONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-272-0	7473-98-5	-	Acute Tox. 4: H302	6.250%

#### TRIHYDROXYMETHYLPROPYL TRIMETHYLACRYLATE

221-950-4 3290-92-4 - Aquatic Chronic 2: H411	
---	--

#### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Then rinse with warm water.

Eye contact: Bathe the eye with running water for 15 minutes. If irritation persists, consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Call a doctor immediately. **Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Let rest in a position

comfortable for breathing.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Water

fog. Sand. Do not use water jet.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: No data available.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes. Collect extinguishingwater to prevent it from draining into the sewer

system.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel.

#### WINDSCREEN REPAIR RESIN

Page: 3

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Notify

authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Ensure adequate ventilation. Absorb into dry earth or sand. Transfer to a closable,

labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

#### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Smoking is forbidden. Workers should wash hands

and face before eating, drinking and smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed. Keep away from direct sunlight. Do not store together with strong alkalis.

Do not store together with strong acids.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

### Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

# 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Wear a suitable mask.

Hand protection: Protective gloves.

Eye protection: Chemical goggles or safety glasses, EN 166.

**Skin protection:** Protective clothing.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Colourless

WINDSCREEN REPAIR RESIN

Page: 4

Odour: Characteristic odour

Solubility in water: Insoluble

Viscosity: 50 mPa.s Brookfield LV spindle 5, 100 rpm, 20°C.

Flash point°C: >60

#### 9.2. Other information

Other information: Density, 1,1 g/cm3.

#### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Materials to avoid: Strong acids. Strong Alkalis.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

# Symptoms / routes of exposure

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

# **Section 12: Ecological information**

### 12.1. Toxicity

### WINDSCREEN REPAIR RESIN

Page: 5

### **Ecotoxicity values:**

Species	Test	Value	Units
CAS 7473-98-5	-	-	-
FISH	LC50	160	mg/l
DAPHNIA	48H EC50	119	mg/l
CAS 3290-92-4	-	-	-
FISH	96H LC50	2	mg/l
DAPHNIA	48H EC50	9,22	mg/l
ALGAE	NOEC	0,177	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

#### 12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Avoid release to the environment.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

# Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### WINDSCREEN REPAIR RESIN

Page: 6

### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No. 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH210: Safety data sheet available on request.

H302: Harmful if swallowed.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.