

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 12/9/2020 Revision date: 12/9/2020 Supersedes version of: 11/6/2019 Version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : SPEED CLEANER SPRAY (750 ML)

UFI : 77N5-M066-W001-SJTU

Product code : 2041 Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Pro Part International Molenakker 3 5953 TW Reuver - Nederland T +31 (0) 77 476 2204

info@propart-international.com - www.propart-international.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

GHS09

Signal word (CLP) : Danger

Contains : HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE .

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P501 - Dispose of Contents and container, to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Extra phrases : Without adequate ventilation formation of explosive mixtures may be possible.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE . substance with a Community workplace exposure limit	(CAS-No.) 92128-66-0 (EC-No.) 921-024-6 (REACH-no) 01-2119475514-35	75 – 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
KOOLSTOFDIOXIDE substance with a Community workplace exposure limit	(CAS-No.) 124-38-9 (EC-No.) 204-696-9	2.5 – 5	Press. Gas (Ref. Liq.), H281
ISOBUTANE (CONTAINS <0,1% BUTADIENE (203-450-8))	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119485395-27	2.5 – 5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : With unconsciousness; location and transport in a stable side position. If unconscious, place

in the recovery position and seek medical advice.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Rinse well.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

First-aid measures after ingestion : Drink plenty of water. Move to fresh air. immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.

12/9/2020 (Revision date) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray jet. Dry powder. carbon dioxide. For a significant fire : high volume water jet.

alcohol-resistant foam.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : On heating or during combustion toxic fumes are released.

5.3. Advice for firefighters

Protection during firefighting : do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide adequate ventilation. Keep away from ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : Breathing apparatus. Wear recommended personal protective equipment. Keep unprotected

persons away.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Notify the competent authority if it enters wastewater or sewers. Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Ensure that there is a suitable ventilation system. For disposal of contaminated materials

refer to section 13 : "Disposal considerations".

6.4. Reference to other sections

Stable under recommended handling and storage conditions (see section 7). For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not spray on a naked flame or any incandescent material. Keep away from sources of

ignition - No smoking. Have respirators ready. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Precautions for safe handling : Ensure good ventilation of the work station.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep tanks tightly closed.

Storage conditions : The government provisions with regard to the storage of compressed gas packings must be

observed.

Information on mixed storage : Not applicable. Storage area : Category 2B.

12/9/2020 (Revision date) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE . (92128-66-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	2035 mg/m³
IOEL STEL	1000 mg/m³

KOOLSTOFDIOXIDE (124-38-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name Carbon dioxide	
IOEL TWA	9000 mg/m³
IOEL TWA [ppm]	5000 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: The basis of the information is the data that were valid when compiled.

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Do not breathe gas/fumes/vapour/spray. Take off immediately all contaminated clothing. When handling product, avoid contact with skin and eyes. Ensure good ventilation of the work station. Always wash hands after handling the product.

8.2.2. Personal protection equipment

Personal protective equipment:

Gas mask. Gloves.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use

8.2.2.2. Skin protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:

Butyl rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min, Butyl acetates: 60 min, Ethyl acetate: 170 min, Xylenes: 42 min. Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42 - 480 minutes. For safety reasons, we advise users and persons responsible for safety at work to assume a solvent resistance of 42 minutes. In view of the information in section 3 of this SDS, a longer resistance duration can be assumed in certain cases.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A2/P3

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Particle dustiness

Keep away from food, drink and animal feedingstuffs. Take off contaminated clothing. Wash hands before breaks and after work. Do not breathe gases/vapours/aerosol. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Colour : Clear.
Appearance : Liquidat.
Odour : Solvent.
Odour threshold : Not determined.
Melting point : Not determined.
Freezing point : Not determined.

Boiling point : Not usable due to aerosol

Flammability : Not applicable.
Explosive limits : Not available
Lower explosive limit (LEL) : 0.6 vol %
Upper explosive limit (UEL) : 8 vol %

Flash point : -12 °C Not usable due to aerosol

Auto-ignition temperature : > 200 °C

Decomposition temperature : Not determined.

pH : Not determined.

Viscosity, kinematic : Not determined.

Viscosity, dynamic : Not determined.

Solubility : Not / low. Miscible with water.

Organic solvent:97 %

: Not available Partition coefficient n-octanol/water (Log Kow) Partition coefficient n-octanol/water (Log Pow) Not determined. Vapour pressure 3500 hPa @ 20° Vapour pressure at 50 °C Not available Density 0.7 g/cm3 @ 20° Relative density Not determined Relative vapour density at 20 °C Not determined Not applicable Particle size Particle size distribution Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable : Not applicable Particle aggregation state : Not applicable Particle agglomeration state Particle specific surface area : Not applicable

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

VOC content : 681 g/l VOC (EG) -- , VOC (EU)% : 97,00 %

Solids content : 0,0%

9.2.1. Information with regard to physical hazard classes

9.2.2. Other safety characteristics

VOC content : 681 g/l VOC (EG) -- , VOC (EU)% : 97,00 %

Additional information : Solids content: 0,0%

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

No degradation when used as directed.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional data.

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met
Acute toxicity (dermal) : Based on available data, the classification criteria are not met
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE . (92128-66-0)		
LD50 oral rat > 5840 mg/kg		
LD50 dermal rabbit	> 2920 mg/kg	
LC50 Inhalation - Rat	> 25.2 mg/l/4h	

Skin corrosion/irritation : Causes skin irritation.

pH: Not determined.

Serious eye damage/irritation : Based on available data, the classification criteria are not met

pH: Not determined.

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met Germ cell mutagenicity : Based on available data, the classification criteria are not met Carcinogenicity : Based on available data, the classification criteria are not met

Reproductive toxicity : Based on available data, the classification criteria are not met

STOT-single exposure : May cause drowsiness or dizziness.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : Based on available data, the classification criteria are not met

Aspiration hazard : Based on available data, the classification criteria are not met

SPEED CLEANER SPRAY (750 ML)	
Vaporizer Aerosol	
Viscosity, kinematic	Not determined.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE . (92128-66-0)		
LC50 - Fish [1] 11.4 mg/l (Fish)		
EC50 - Crustacea [1]	3 mg/l 48h	
EC50 72h - Algae [1]	30 – 100 mg/l	

12.2. Persistence and degradability

SPEED CLEANER SPRAY (750 ML)	
Persistence and degradability	No additional information available.

12.3. Bioaccumulative potential

SPEED CLEANER SPRAY (750 ML)	
Partition coefficient n-octanol/water (Log Pow) Not determined.	
Bioaccumulative potential No additional information available.	

12.4. Mobility in soil

SPEED CLEANER SPRAY (750 ML)	
Mobility in soil	No supplementary information available
Aquatic hazard (NL)	A (2) toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Additional information	Toxic to fish. Hazardous to water (WGK 2(D)Self classification). Do not discharge into groundwater, into surface water or into drains. Danger to drinking water even if small amounts leak into the ground. Also poisonous to fish and plankton in surface water. Toxic to aquatic organisms

12.5. Results of PBT and vPvB assessment

SPEED CLEANER SPRAY (750 ML)	
Results of PBT assessment	The product does not meet the PBT and vPvB classification criteria

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Do not dispose of with domestic waste. Do not discharge into drains.

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

European List of Waste (LoW) code

20 01 13* - solvents

15 01 04 - metallic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA		
14.1. UN number or ID r	14.1. UN number or ID number			
UN 1950	UN 1950	UN 1950		
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS (HYDROCARBONS, C6- C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE.)	Aerosols, flammable		
Transport document descr	ription			
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE .), 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard	class(es)			
2.1	2.1	2.1		
2	2	2		
14.4. Packing group				
Not applicable	Not applicable	Not applicable		
14.5. Environmental haz	zards			
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes		
No supplementary information	on available			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Special transport precautions : Gases (except aerosol dispensers and lighters)

Overland transport

Classification code (ADR) : 5F
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D

Transport by sea

EmS-No. (Fire): F-DEmS-No. (Spillage): S-UStowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69

Air transport
No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	Entry title or description
3(c)	SPEED CLEANER SPRAY (750 ML); HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
3(b)	SPEED CLEANER SPRAY (750 ML); HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE.	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(a)	SPEED CLEANER SPRAY (750 ML); HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE .; ISOBUTANE (CONTAINS <0,1% BUTADIENE (203-450-8)); Propane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 681 g/l VOC (EG) -- , VOC (EU)% : 97,00 %

Other information, restriction and prohibition : Qualifying quantity (tonnes) for applications of requirements for low-threshold devices: 150

regulations t. Qualifying quantity (tonnes) for application of requirements for high-threshold devices: 500

t.

12/9/2020 (Revision date) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : P3a :Flammable aerosol. E2: Hazardous to the aquatic environment.

15.1.2. National regulations

Hazardous to water (WGK 2(D)Self classification)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
CAS-No.	Chemical Abstract Service number
VOC	Volatile Organic Compounds
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: These data are based on the current state of our knowledge. However, they do not provide a guarantee of product properties and do not establish a contractual legal relationship.

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Press. Gas (Ref. Liq.)	Gases under pressure : Refrigerated liquefied gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H281	Contains refrigerated gas; may cause cryogenic burns or injury.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.